Date: User: Monday, 12/05/2008 10:02:10 AM

Julie Lecocq

Process Sheet

Drawing Name

Part Number

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

: 39196

Job Number **Estimate Number**

: 11076

P.O. Number

This Issue

: 12/05/2008

Prsht Rev. First Issue

Previous Run

Written By

Comment

: NC

: //

: 38365

: Est Rev:E

Est Rev:E

Type

MACHINED PARTS

S.O. No. :

Re-Format

Re-Format

Due Date

05-11-29 JLM 05-11-29 JLM Material

: 05/06/2008

: D5951

: N/A

: B

: D5951 REV.B

: OUTER FWD SADDLE

Qty:

8 Um:

Each

Additional Product

Checked & Approved By

Job Number:



Seq. #:

Machine Or Operation:

Description:

Saddle Billet

8.0000 Each(s)

1.0

D6101013

Total:

Comment: Qty.: 1.0000 Each(s)/Unit

D6101-013 (7075-T7351)

Size 2.50" x 10.10" X 8.25" (Grain along 10.10")

2.0 HAAS3 HAAS CNC VERTICAL MACHINING #3



Comment: HAAS CNC VERTICAL MACHINING #3

1-Machine as per folio D5951, Ensure Batch Number is entered

2-Machine Keyway

3-Deburr & Tumble

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET

4.0

QC1

SECOND CHECK

Comment: SECOND CHECK

5.0

3.0

HAND FINISHING1

HAND FINISHING RESOURCE #1

Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES	
DATE	STEP	PROCEDURE CHANGE By Date Qty Chie Pro	oroval ef Eng / od Mgr Approval QC Inspector
			· •

Part No: D5951 PAR#: NA Fault Category: Pad Madring Part No. DQA: N/C Closed: Date: 08/05/39

QA: N/C Closed: Date: 08/05/30

NCR: 3	9196	WORK ORDER NON-CONFORMANCE (NCR)						
DATE	CTED	Description of NC Corrective Action Section B		Verification	Approval	Approval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief E ng	QC Inspector
18/05/27	2.0	Machine Malfordion lost Is Yposition. Top of paddle was off cender.	M	Scrop and Destry Replie at to	8.5		MA	
·		was off conder.	MUD	Replie Ohy (70)	08/05/27	8	W	6,
		1	08/05/2	1. \1 \1 \1 \1 \1 \1 \1 \1 \1 \1 \1 \1 \1		000-127	08/05/27	08/05/
		Not Already more too	771				1 (
		complete Points already.						
				1				

NOTE: Date & initial all entries

Monday, 12/05/2008 10:02:10 AM Date: User: Julie Lecocq **Process Sheet** Drawing Name: OUTER FWD SADDLE Customer: CU-DAR001 Dart Helicopters Services Job Number: 39196 Part Number: D5951 Job Number: Description: Seq. #: Machine Or Operation: POWDER COATING POWDER COATING 6.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 START TIME: OVEN TEMPERATURE: 3200 FINISH TIME: QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION 7.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 PACKAGING 1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE 9.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		•					
				**			
		•				^	
					ř		

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:	0
			QA: N/C Closed:	Date:	

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section E	}	Verification		Ι
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
		,						
								,
				;				•
		,						
•								•

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	3496
Description: Outer Fwd Saddle)	Part Number:	D5951
Inspection Dwg: D5951	Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

		· —		Re	corded Act	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.437	0.444		0.444	,445	3443	.443		
В	1.745	1.755		1.748	1.748	1.788	1.750		
С	5.245	5.255		5.247	5,246	5.250	5.250		
D	6.995	7.005		7,000	7,000	7.000	7.000		
E	5.240	5.260		5.250	5.248	5.248	5,250		
F	4.745	4.755		4.751	4.748	4.750	4.750		
G	0.315	.0.322		0.322	.319	.320	.320		
Н	1.522	1.532		1.527	1.525	1.592	1.525		
Ţ.I	3.048	3.058		3.054	3.053	3.053	3.053		
J	4.575	4.585		4.580	4.580	4.530	4.500		
K	0.315	0.322		0.322	.321	.321	.321		
L	0.495	0.505		0.500	2501	500	662.		
М	0.490	0.510		0.499	.500	.500	.501		
N	1.615	1.635		1.623	1.635	1.625	1,625		<u> </u>
0	7.990	8.010		7.996	7.997	8-001	8.000		
Р	2.240	2.260		2.252	2.256	2.250	2.250		
Q	0.307	0.312		311	,311	03//	.310		
R	0.760	0.765		.760	.760	.760	.760		<u> </u>
S	0.490	0.510		0,500	1498	.500	1500		
T	1.375	_1.395		17.385	1.385	1.385	1.385		
U	2.000	2.020		12.0045	2.003	2.002	2.002		
V									
W						<u> </u>			· - ·
X									
Υ									
Z ·								_	
AA									
AB				<u> </u>		<u> </u>			
AC		,							
ΑD									
AE									
AF									_
AG									_
AH				<u> </u>	·				·
	Ace	cept/Reje	ct						

Measured by: 1011 / 8 / Audited by			
	Measured by: 1)11	1881	
Date: 0 105/27 Date: 0 100/128	Date: 0%/05/25	108/05/27	Date: ON COSTAN

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	· · · · · · · · · · · · · · · · · · ·	KJ/EC	
D	07.06.15	Dimension G revised	KJ/JLM ,,	
E	08.04.21	Dimension E revised	KJ/DD 🛠	177

DART AEROSPACE LTD		Work Order:	39196
Description: Outer Fwd Saddle		Part Number:	D5951
Inspection Dwg: D5951	Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

			ignied on mape	Т		ual Dimensi			
Dim	Min	Max	Go/No Go Gauge	51	6 x	73	84	Ву	Date
Α	0.437	0.444		3442	-442	0442	,442		
В	1.745	1.755		1.750	1.750	1.750	1.748		
С	5.245	5.255		5,250	5.250	SIACO	C-350		<u> </u>
D	6.995	7.005		7.000	7.000	7.000	7.000		
E	5.240	5.260		5.250	5,250	5.250	5,250		
F	4.745	4.755	, , ,	4,750	4.750	4.750	4.750		<u></u>
G	0.315	0.322		.3a.i	-321	.321	.321		
H	1.522	1.532		1,528	1528	1.528	1.528		·
1	3.048	3.058		3,050	3,050	3,010	3,050		
J	4.575	4.585	•	41.580	4,580	4.500	4.530		
К	0.315	0.322		.321	SAI	.321	.321		
L	0.495	0.505		1500	501	.501	107.		
М	0.490	0.510		.499	499	.499	500		
N	1.615	1.635		1.625	1.625	1.625	1.625		
0	7.990	8.010		8,000	8000	8-000	8,00		
Р	2.240	2.260		2,250	2,250	.2.250	2250		
Q	0.307	0.312		, 310	1.310	: 310	-310		
R	0.760	0.765		,760	.760	.760	.760		
S	0.490	0.510	***	-500	1500	, 100	500		
T	1.375	4.395		1.381	1.385	1.385	1.381		
U	2.000	2.020		2.001	2.203	2,002	2.002		
									<u> </u>
W									
X				_					
Y									
Z									
AA									
AB									
AC									<u> </u>
AD									
AE									
ĀF									
AG		-							
ΑH		0							
	Acc	ept/Reje	ct						

Measured by S.F.	Audited by
Date: 08/05/27	Date: 08/05/28

Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
c	06.12.06		KJ/EC	
D	07.06.15	Dimension G revised	KJ/JLM 1,0	
E	08.04.21	Dimension E revised	KJ/DD 🐪	1

DRAWN BY DESIGN DART AEROSPACE LTD BW HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED APPROVED, REV. B DART D5951 SHEET 1 OF 1 TITLE SCALE DATE **OUTER FWD SADDLE** 06.11.07 1:4 DESCRIPTION DATE **REV** 97.05.06 **NEW ISSUE** Α INCORPORATE DEO 9102, DEO 9079; ADD 0.363 DIMENSION; ϕ 0.316 WAS ϕ 0.313; ADD TOLERANCE TO R2.000; ADD 0.363 DIM; 06.11.07 В **CHAMFER** 06 11.28 0.075 X 45 **ALL AROUND** ┌ 0.500 0.063 BOTH SIDES 0.760^{+0.005}
-0.000
B R0.500 R0.063 R0.025 R0.250 /B\ R1.375 0.188 R1.625 0.033 X 45 CHAMFER 5.250 (2 PLACES) 0.313 0.500 -4.750 DETAIL B SCALE 1:1 2.375 0.620 0.363 ENGRAVE PART NO. ₲ Q AND BATCH NO. WITH MIN RAD OF 0.010 TO MAX 3.053 0 0 **DEPTH OF 0.010** R2.000^{+0.020} 4.580 1.527 R0.500-O 0 8.000 R2.250 Ø0.316 (8 PLACES) Q DRILL Ø 0.316 THRU **GRAIN** Ø0.750 SPOT FACE 130° DIRECTION (2 PLACES) ENGRAVE DART LOGO WITH 2.05POP COPY . 1.250 MIN RAD OF 0.250 TO MAX **RETURN TO DEPTH OF 0.015 ENGINEERING** -R0.500 R0.660-UNCONTROLLED COPY BECT TO AMENDMENT Ø0.438 WITHOUT NOTICE (4 PLACES) **VIEW A-A** WORK ORDER **D5951 OUTER FWD SADDLE** 0.500 -1.750 0.040 X 45° CHAMFER 5.250 ALL AROUND 7.000 8.000 NOTES 1) MATERIAL: ALUMINUM 7075-T7351 PER QQ-A-250/12 (MAKE FROM D6101-013 SADDLE BILLET, 7075) 2) FINISH: CHÉMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ISOMETRIC VIEW

COPYRIGHT © 1997 BY DART AEROSPACE LTD

4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

5) BREAK ALL SHARP EDGES 0.010 TO 0.020